

Intravenous sedation pre-operative instructions

Oral Maxillofacial Unit

Patient information

If you need this leaflet in a different language or accessible format
please speak to a member of staff who can arrange it for you.

اگر به این بروشور به زبان دیگر یا در قالب دسترس پذیر نیاز دارید،
لطفاً با یکی از کارکنان صحبت کنید تا آن را برای شما تهیه کنند.

Jeśli niniejsza ulotka ma być dostępna w innym języku lub formie,
proszę skontaktować się z członkiem personelu, który ją dla Państwa przygotowuje.

Dacă aveți nevoie de această broșură într-o altă limbă sau într-un format accesibil,
vă rog să discutați cu un membru al personalului să se ocupe
de acest lucru pentru dumneavoastră

如果您需要本传单的其他语言版本或无障碍格式，请联系工作人员为您安排。

إذا احتجت إلى هذه النشرة بلغة أخرى، أو بتنسيق
يسهل الوصول إليه، يرجى التحدث إلى أحد الموظفين لترتيب ذلك لك.

Whiston Hospital
Warrington Road,
Prescot,
Merseyside,
L35 5DR
Telephone:
0151 426 1600

St Helens Hospital
Marshalls Cross Road,
St Helens,
Merseyside,
WA9 3DA
Telephone:
01744 26633

Southport Hospital
Town Lane,
Kew,
Southport,
Merseyside,
PR8 6PN
Telephone:
01704 547 471

Ormskirk Hospital
Dicconson Way,
Wigan Road,
Ormskirk,
Lancashire,
L39 2AZ
Telephone:
01695 577 111

Local anaesthetic and intravenous sedation (IV)

Notes

You have chosen to have your minor oral surgery treatment under local anaesthetic with intravenous sedation.

Please take some time to read this leaflet and familiarise yourself with its contents.

Prior to and on the day of your treatment:

- Have a light snack (tea and toast) approximately 2 hours before your treatment.
- Please do not bring children to your sedation appointment.
- Do not wear contact lenses on the day of your treatment.
- Do not consume alcohol the day before your treatment.
- Please wear loose sleeved clothing and flat shoes.
- Do not wear nail polish or acrylic nails, as we need to place a monitor on your finger to record your pulse.
- You must tell us if there is a possibility of you being pregnant. We cannot sedate you if you are pregnant, as it may be harmful to your baby.
- If you are breastfeeding, you will need to express milk or use formula milk for 24 hours after your sedation.
- You should take all medications as normal, unless you have been given specific instructions by us or your doctor not to.

Notes

- You must have a responsible adult come with you, who will wait in the waiting area, then take you home afterwards in a car or taxi. If you do not have an escort, we will not sedate you.

After your treatment

Once you are home, you must have a responsible adult with you for 24 hours. You cannot be left alone.

You must not:

- Drink alcohol for 24 hours after your treatment.
- Look after dependant relatives (children, elderly adults etc).
- Drive a car, ride a bike or operate machinery including domestic appliances for 24 hours after your procedure.
- Make any important decisions or sign legal documents for 24 hours.
- Return to work for 24 hours.

Please contact us if there are any issues you wish to discuss or are unsure about (see page 3).

After your treatment continued

Notes

Emergency contact

If you need any further advice, have any problems or feel unwell after your procedure including:-

- Difficulty breathing or swallowing
- Fever or high temperature
- Excessive bleeding
- Severe pain not relieved with pain killers

Please do not hesitate to contact our department on 01744 646 730, between 9.00am and 5.00pm, Monday to Thursday or 9.00am to 4.00pm on Friday.

Or Aintree hospital at all other times on 0151 525 5980 and ask for the 1st on call maxillofacial doctor.